

f'real



MERCHANTS GROCERY COMPANY
A COMPANY YOU CAN COUNT ON

800 MADDOX DRIVE | CULPEPER, VA 22701
WWW.MERCHANTS-GROCERY.COM | 1.877.897.9893



PRE-INSTALLATION

Blender and Freezer Pre-Installation Requirements

f'real is not responsible for costs to ensure pre-installation requirements are met. Please confirm your store meets the following pre-installation requirements to prepare your store for the f'real program.

BLENDER REQUIREMENTS

- 1 Blender is for indoor use only. The operating range for the blender is: 40 to 90 degrees F., with 0 to 100% non-condensing relative humidity.
- 2 Blender requires a dedicated 15 amp, 120 volt circuit. Freezer and any other pieces of equipment should NOT be operated on the same circuit as the blender. (Note: Extension cords are not acceptable and may void warranty due to improper power supply.)
- 3 Blender requires a filtered, non-carbonated water supply that is regulated from 25 to 65 PSI to ensure optimum water flow. Additionally, install a shut-off valve near the blender. Use only new water lines and ensure water connection complies with national/local code.
- 4 Drain line is required near where the blender will be placed. The blender is equipped with 10' of 3/4" ID hose. Drain line must be sloped downward all the way to the drain to provide for free flow of rinse water.
- 5 Follow all applicable national/local electrical and plumbing codes.

Note: If you have purchased a Double Blending Bar, please be aware that you will need an additional plugin.

FREEZER REQUIREMENTS

- 1 The freezer unit requires a dedicated 15 amp, 120 volt circuit. (Note: Extension cords are not acceptable and may void warranty due to improper power supply.)
- 2 Follow all applicable national/local electrical codes.

For other equipment-related information, please refer to your **Installation and Operation Manual**.



Contact your Food Service Specialist for more information!



Description	Size	MGC #
F'REAL VANILLA BLISS MILKSHAKE [Barcode]	12/ 8 oz	#76059
F'REAL STRAWBERRY MILKSHAKE [Barcode]	12/ 10 oz	#76026
F'REAL STRAWBERRY BANANA SMOOTHIE [Barcode]	12/ 9 oz	#76054
F'REAL SALTED CARAMEL PROTEIN SHAKE [Barcode]	12/ 8 oz	#76051
F'REAL PB CUP REESES MILKSHAKE [Barcode]	12/ 8 oz	#76055
F'REAL MANGO SMOOTHIE [Barcode]	12/ 9 oz	#76053
F'REAL COTTON CANDY MILKSHAKE LTO [Barcode]	12/ 8 oz	#76048
F'REAL COOL MINT CHIP MILKSHAKE [Barcode]	12/ 8 oz	#76057
F'REAL COOKIES & CREAM MILKSHAKE [Barcode]	12/ 8 oz	#76058
F'REAL CHOCOLATE CHILL MILKSHAKE [Barcode]	12/ 8 oz	#76060
F'REAL CAKE BATTER MILKSHAKE [Barcode]	12/ 8 oz	#76056
F'REAL ACAI BERRY BLAST SMOOTHIE [Barcode]	12/ 9 oz	#76052
F'REAL BLUE STRAWS 10 PACKS 300 [Barcode]	10/ 300 ct	#62631
F'REAL LID FLAT LOGO [Barcode]	1/ 400 ct	#76063



BLENDER & FREEZER SPECIFICATIONS

FREEZERS	W"	D"	H"	CUP CAPACITY	FACINGS	EMPTY WEIGHT	FULL WEIGHT
MINI BLENDING BAR	33.5"	32.5"	56"	90	15	225 LBS	295 LBS
BLENDING BAR	45.5"	32.5"	56"	180	30	245 LBS	385 LBS
DOUBLE BLENDING BAR	61.5"	32.5"	56"	180	30	250 LBS	390 LBS
SINGLE DOOR FREEZER	28"	31"	32.5"	102	18	200 LBS	280 LBS
TALL UPRIGHT FREEZER	30"	29.5"	78.5"	252	42	365 LBS	560 LBS
SIDE COUNTER	16"	26"	36"	-	-	-	-

BLENDER & FREEZER PRICES

BLENDER	MODEL#	PRICE
B6 BLENDER SELF-SANITIZING	FR00-0106	\$8,695
FREEZER		
BLENDING BAR FREEZER	FR10-0011	\$3,075
MINI BLENDING BAR FREEZER W/HEADER	FR10-0011-M	\$2,725
DOUBLE BLENDING BAR FREEZER W/HEADER	FR10-0011-DH	\$3,235
SINGLE DOOR FREEZER (CASTERS RT. HINGE)	FR10-0007-RHC	\$2,525
SINGLE DOOR FREEZER (CASTERS LT. HINGE)	FR10-0007-LHC	\$2,525
SINGLE DOOR FREEZER (LEGS LT. HINGE)	FR10-0007-LHL	\$2,525
SINGLE DOOR FREEZER (LEGS RT. HINGE)	FR10-0007-RHL	\$2,525
TALL UPRIGHT FREEZER (RT. HINGE)	FR10-0022-RH	\$3,795
TALL UPRIGHT FREEZER (LT. HINGE)	FR10-0022-LH	\$3,795
SIDE COUNTER CABINET	FR10-SCTR	\$875

B6 INSTALLATION REQUIREMENTS

BLENDER SPECS*

DIMENSIONS: 15.25" W / 25" D / 42" H

WEIGHT: 125 LBS

CERTIFICATIONS: NSF, TÜV, SUD

*Add the dimensions of desired freezer to the dimensions of the blender when planning for necessary equipment space.

INSTALLATION REQUIREMENTS

- Requires a dedicated 15A, 120V circuit
- 7 FT. grounded power cord (**included**)
- Freezers require 15A or 120V circuit separate from blenders

DRAINAGE

- Gravity drain required
- Blender comes with 10 FT. length of 3/4" ID anti-microbial drain tube

FILTERED

- Filtered water source - minimum filtering of 100 PPM hardness and 150 PPM TDS
- Minimum pressure of 25 PSI
- Provided in-line regulator quick-disconnect fitting with barbed end for use with 1/4" ID braided input water line (**provided by customer**)



MERCHANTS GROCERY COMPANY
A COMPANY YOU CAN COUNT ON

800 MADDUX DRIVE | CULPEPER, VA 22701
WWW.MERCHANTS-GROCERY.COM | 1.877.897.9893

Every effort made to avoid typographical errors, but we reserve the right to add or amend. All prices and weights are subject to manufacturers' price changes and market conditions.